





Airtec® Quick Guide – Softening




CC206



CC208



Mach 2060s



Mach 2100s



Excel® Quick Guide – Offsetting



Warning

Excel® 2010 users should refer to the following link for more information:

- 1. [Excel 2010: How to create a dynamic array formula](#)
- 2. [Excel 2010: How to create a dynamic array formula](#)
- 3. [Excel 2010: How to create a dynamic array formula](#)
- 4. [Excel 2010: How to create a dynamic array formula](#)

1. Offset with a single cell reference

- 1. [Excel 2010: How to create a dynamic array formula](#)
- 2. [Excel 2010: How to create a dynamic array formula](#)

2. Range of cells

- 1. [Excel 2010: How to create a dynamic array formula](#)

3. How to offset with a range of cells

How to offset with a range of cells



- 1. [Excel 2010: How to create a dynamic array formula](#)
- 2. [Excel 2010: How to create a dynamic array formula](#)



Air-Care® Quick Guide – Buffing



Automatically 100% Buff






Air-Lung® Quick Guide – Surfing



Technically, this is a scuba tank.





AirFlow® Quick Guide – Suffering



1. Connect the machine to the patient.



2. Connect the machine to the computer.




3. Connect the machine to the patient.



4. Connect the machine to the patient.




Air-Lux® Quick Guide – Sufficiency






Air-Turn® Quick Guide – Suffocating









Airtec® Quick Guide – Softening

StartUp



Activate brine-rinse tank 2





Water? Quick Guide – Suffering

1. 

1. Make sure you have the right water supply for you. Check your water meter. Then use the right water supply pipe.

2. 

2. Make sure the water is on:

- Turn on the water supply
- Turn on the water meter


3. 

3. Make sure you are using the right water supply for you. Check your water meter. Then use the right water supply pipe.

Water? Quick Guide





Active® Quick Guide – Inflating





Air-Cure Quick Guide – Buffing




1. Mount the buffing wheel on the spindle.



2. Buff the inner edge of the wheel.



3. Buff the outer edge of the wheel.



4. Buff the outer edge of the wheel.

Buffing wheel specifications

Buffing wheel dimensions (mm)

1. Outer diameter	114.3
2. Inner diameter	50.8
3. Thickness	12.7
4. Spindle hole diameter	12.7
5. Spindle hole depth	12.7



Air-Care® Quick Guide – Softening



Softener is installed with all hard water.



Hard water enters water meter.



Soft water to toilet.



Soft water goes into bucket – hard water into water meter and softener.



Soft water goes into shower – hard water goes into water meter and softener.





AirCare® Quick Guide – Buffering



1. Add 1 drop of the solution.



2. Shake the cap to mix the solution fully. Rinse in the water source.



3. Wait 15 minutes.



4. Wait 15 minutes.

5. Wait 15 minutes.

